



**JVT**  
CONNECTORS®

**东莞市乔业电子有限公司**  
Dongguan JVT Connectors Co.,Ltd

东莞总公司  
地址: 广东省东莞市长安镇乌沙江贝新乐路30号  
电话: (86-769) 8532 6520/39015968  
传真: (86-769) 8535 8632  
E-mail: leo@jvtcn.com

苏州办事处  
地址: 江苏苏州相城区陆慕镇御苑家园120栋  
电话: (86-512) 6721 0579  
传真: (86-512) 6721 0579  
E-mail: giselle@jvt.hk

香港分公司  
地址: 九龙新蒲五芳街26号荣盛大厦10楼  
电话: (852) 3078 3998  
传真: (852) 3078 3886  
E-mail: sunny@jvtcn.com

网址: <http://www.jvtcn.com>  
<http://www.jvt.hk>



**JVT**  
CONNECTORS®

**乔业电子**  
JVT Connectors

**东莞市乔业电子有限公司**  
Dongguan JVT Connectors Co.,Ltd

中国·东莞

# 勇攀高峰 DARES TO CHALLENGE

合作 团结 发展 交流 共赢 没有完美的个人, 只有完美的团队

DEDICATED SERVICE TO THE WORLD  
CREATE OUR FUTURE TOGETHER

DOUBLE BULL DESIGN  
CORPORATE CULTURE DESIGN LEADER

## About Us 企业简介

东莞市乔业电子有限公司成立于2002年04月, 2004年在江苏吴江市成立分公司, 同年在东莞投资建厂, 同时拥有自己的产品品牌: JVT. 公司专业生产各种连接器: 线对板、线对线、IDC连接器、LVDS连接器、排针、排母、Molex、JST、AMP等仿品连接器。产品畅销世界各国; 欧洲、中东、印度、巴西、意大利以及香港、台湾、大陆等国家和地区, 本公司目前的设备有10台全自动射出成型机, 20台全自动插PIN机及6台连续冲压机, 一律由塑胶粒或铜材全自动化生产至产品完成。本公司具备有资深的开发人员、品质员与自动机器操作员, 开发设计、制造、包装一贯完成, 本公司本着以优良的品质, 交货准时来为客户服务。公司已通过ISO9001; 2015质量体系认证, 各种产品均已取得UL、CSA、TUV、SGS等认证。

产品广泛用于家用电器、移动设备、汽车电子设备、LVDS液晶显示器、工业连接器、电脑周边产品等产业领域。

为引导客户需求, 使“JVT”扬名世界, 乔业电子全体员工将立足本职, 本着: 专业、诚信、创新、务实”的企业精神, 创造更加辉煌的明天。

我们将以: “优质的产品、一流的服务、合理的价格”来回报您的支持。

### Enjoying Excellent Geographical Location

Established in 2002 and located in Chang'an Town, Dongguan, which is near to Hong Kong and Shenzhen, Dongguan JVT Connectors has 13 years of experience in the R&D of electronic connectors. Moreover, we have offices in Wujiang, Jiangsu and Hong Kong. We have advanced machines and technology from Taiwan.

### Expert in Producing Terminals, Housings, Wafers Connectors

We mainly manufacture all kinds of terminals, housings, wafers connectors, equivalent of Molex, JST, AMP, HRS and so on. We also offer various designs for a variety of connectors and battery welding pieces. They are widely used in home appliances, communication equipment, LVDS displays, security devices, computers, automobile and other fields.

### Meeting UL, RoHS and ISO9001 Standards

Because of our meticulousness in the whole production process, all our products are compliant with UL and RoHS, and we have got the ISO 9001:2015 certifications.

### Working with Foxconn, Asus and Other Companies

We own advanced software and hardware facilities for development and production, as well as the most advanced high precision mold processing, production, testing equipment and software. With such resources, we have made products that attracted Foxconn, Asus, FCI and Honeywell to source from us.



冲压部  
punching workshop

注塑部  
injection workshop

组装车间  
Assembly workshop



**P**roduction&inspection equipment  
生产检测设备

1. 膜厚测试仪/Film thickness tester
2. 高温老化炉/High temp aging oven
3. 恒温恒湿机/constant temperature & humidity tester
4. 燃烧试验机/Burn resistance tester
5. 自动插拔力测试仪/Automatic insertion force tester
6. 盐雾测试仪/Salt spray tester
7. 电镀膜厚测试低仪/Plating thickness tester
8. 二次元测试仪/2.0 Dimension Projector
9. 显微硬度计/Micro hardness tester
10. ROHS 测试仪/ROHS tester
11. 耐压测试仪/Withstand voltage test machine
12. 直流低电阻测试仪/DC low resistance tester



目录  
CONTENT

<b>PC Connector</b> 电脑连接器	—————	01-08
<b>Industrial connector</b> 工业连接器	—————	09-12
<b>Automotive connector</b> 汽车连接器	—————	13-18
<b>Consumer Electronics Connector</b> 消费类电子连接器	—————	19-28

## Product introduction 消费类电子连接器



JVT0600 IDC 0.6mm



JVT0800 IDC 0.8mm




JVT1224 MOLEX 1.2mm



110 Series tab faston male terminal  
•Part number :JVT110TB-SNSM-280  
•Thickness:0.8mm  
•Plating: Tin-plated

JVT4002W46-02SN-D





Part number :JVT3025&3024


Features :

- Circuits :2-24
- Pitch :3.0mm
- Available in single and dual row
- Headers made of high-temperature LCP material
- SMT, press-fit or surface mount compatible versions available
- Fully polarized housings
- Positive latching

## PC Connector 电脑连接器 ❖❖

连接器英文名又叫Connector，用于两个接触件相互导通达到通电的效果，连接器的范围很广，广泛用于工业，航工，家电，汽车，军用等领域，电脑连接器顾名思义即为连接电脑的接触件。

Connector English name called the connector for two contact pieces of each guide through to the effect of electricity, connector range is very wide, widely used in industry, aviation industry and trade, household appliances, automobiles, military and other fields, computer connector Gu thinking means is connected to the computer connector.



JVT1005 MOLEX 1.0mm



JVT1030 FIR-E 1.0mm



JVT8252 88252 1.0mm



JVT1253 SH1.0mm



JVT1257 FI-S 1.25mm



JVT1403 NH1.0mm



JVT1250 JAE1.25mm



JVT1255 DF13 1.25mm



JVT1127 MOLEX 51127 1.25mm



JVT1173 ZH1.5mm



JVT1502 MOLEX87439 1.5mm



JVT1503 MOLEX50287 1.5mm



JVT1144 MOLEX 51004 2.0mm



JVT2005 AMP2.0mm



JVT2007 PHD2.0mm



JVT2500 JAE2.5mm



JVT1108&1105 DUPON 2.54mm



JVT2039 MOLEX502439 2.0mm



JVT2301 LED BASE 2.3mm



JVT2549 HRS 2.54mm



JVT1271 PIN HEADER 1.27mm



JVT2013 JAE2.0mm



JVT2015 DF11 2.0mm



JVT2033 DF3 2.0mm



JVT1270 BOX HEADER 1.27mm



JVT2051 FEMALE HEADER 2.0mm



JVT1164 DUPON 2.0mm



JVVT



- patent number:ZL 2014 2 0415610.3  
250 series tab faston continuous male terminal
- Mating tab width :6.35mm
  - Mating Tab thickness :0.8mm
  - Plating :Tin



## Industrial connector 工业连接器

它被专门设计用以在恶劣环境下构建一个坚固的以太网连接。比先前的连接器更坚韧、更结实、更具延展力。这个新接口被普遍认为是“工业连接器”。其应用不仅局限于制造业，这种连接器被设计用以经受最为恶劣工业环境的考验。

It is specifically designed to build a solid Ethernet in harsh environments than previously connected connectors are tougher, stronger, and more resistant. This new interface is generally considered as "industrial connector", its application is not confined to manufacturing. This connector is designed to withstand the harsh industrial environment test.



JVT187TB-SNSM-480 0.5mm thickness



JVT1201W9T TYCO 2.54mm  
BOX HEADER



JVT2134 MOLEX 52134 2.54mm



JVT5011 POWER 5.0mm



T型插头, 公母头



JVT110TB-SNSM-280 0.8mm thickness



JVT250TB-SNSML-635 0.8mm thickness




JVT 1201 Box header



JVT250WLP-NPSWXXP-D

JVT



- PAD Connector  
2.0mm pitch/Disconnectable Crimp style connectors
- Dual-row construction allows high density mounting.
  - Secure locking device
  - Reliable contacts
  - Insertion guide mechanism
  - Polarizing boss

## Automotive connector A 汽车连接器

汽车连接器的作用非常单纯：在电路内被割断处或孤立不通的电路之间，架起沟通的桥梁，从而使电流流通，使电路实现预定的功能。汽车连接器形式和结构是千变万化的，其主要是由四大基本结构组件组成，分别是：接触件，外壳（视品种而定），绝缘体，附件。

Automotive connector role is very simple: to be blocked in the circuit between the circuit or isolated, bridge, so that the current flow of the circuit to achieve a predetermined function. Automotive connector form and structure is the myriads of changes, which is mainly composed by four basic structure, components are: contact, shell (as the varieties may be), insulator, accessories.



JVT3300 HPT-04



JVT2038 PAD2.0mm



JVT2041 PHB2.0mm



JVT2501 XHB 2.5mm



JVT2001 XH2.5mm



JVT7500 HPT-02



JVT3047 HPT-03



JVT8001 MOLEX 2510 2.54mm



JVT 1121 VH 3.96mm



JVT4000 HN0-04  
汽车连接器



JVT1148&1149 MOLEX 4.2mm



JVT1114 BiG 4P 5.08mm



JVT23100 AMP 1.0mm



JVT24158 AMP 1.58mm



大小电流连接器



JVT3024&3025&3026 MOLEX 3.0mm



JVT5001 MOLEX 3.96mm



JVT6503&6504 SM2.5mm



JVT2000 L6.2mm



JVT6350 AMP 6.35mm

JVT




- PA connector  
2.0mm pitch connector with secure locking device
- Highly reliable contact
  - Insertion guide Mechanism
  - Flanged press pin

## Consumer Electronics Connector 消费类电子连接器



JVT1061 FFC 0.5mm



JVT0600 IDC 0.6mm



JVT0800 IDC 0.8mm



JVT1501 SZN1.5mm



JVT1811 OD 1.8mm PCB TER



JVT1124 PH2.0mm



JVT1000 FI-X 1.0mm



JVT1001F FPC 1.0mm



JVT1002 FPC 1.0mm



JVT1130 SAN2.0mm



JVT2004 MOLEX 51006 2.0mm



JVT1131 EH2.5mm



JVT1019 DF19 1.0mm



JVT1060 FFC 1.0mm



JVT1201 ACH1.2mm



JVT1137 SCN2.5mm



JVT1135 MOLEX 5264 2.5mm



JVT1142 CD-ROM 2.54mm




JVT1224 MOLEX1.2mm



JVT1146 MOLEX 51146 1.25mm



JVT1257-L GHR 1.25mm



JVT2548 MOLEX 2.54mm  
LONG TYPE



JVT1115 SMALL 4P 2.54mm



JVT2011 BH3.5mm



JVT1128 PHS 2.0mm




JVT2032 PA 2.0mm



JVT2017 YH 2.0mm



JVT 1288 SHLP 1.0mm



JVT2010 HN0 2.0mm



JVT3180 BATTERY BASE 3.18mm



JVT0504 FPC SMT 180° 0.5mm



JVT4008 SDN3.96mm




JVT2009 BH4.0mm



JVT2052 H20-2XNPC-S



JVT2547 H25-2XNP-S



JVT1271 H10-2X04C-S



JVT1252 MOLEX 1.25mm 180°



JVT1258 moxlex 51146 1.25mm



JVT1258-L moxlex 51146 with lock 1.25mm



JVT4002W46-01SN-S 4.0mm  
LED connector



JVT4002W46-02SN-S 4.0mm  
LED Connector



JVT4002W46-03SN-S 4.0mm  
Led connector



JVT1033 SYP 2.5mm



JVT2540 5240 2.5mm




JVT1301 SMALL EL 4.5mm



JVT2052 H206T-2X04C-S



JVT2541HPT-02BK-A 2.54mm  
jumper ,close type



JVT2541HPT-02BK-A 2.54mm  
jumper ,close type





molex 87439 1.5mm wire harness



1.25mm wire harness



LVDS wire harness



LCD cable



XH 2.5mm wire harness



VH 3.96mm cable



SHLP 1.0mm wire harness



GHR 1.25mm wire harness



PHD 2.0mm wire harness



JVT2547 H250R-2XNP-S



JVT2547 H25-NP-S



JVT2052 H20R-NP



JVT1271 H10R-NP



JVT1271 H10-NP



JVT1051 H20-NP



JVT1271 H15R-NP



JVT1271 H25-NP



JVT1271 H15-NP



JVT1051 H20-NP



JVT1271 H25-NP 1.27mm  
pinheader H=2.5mm



JVT2052 H10-NP



JVT2546 H36-2XX



JVT2051 H36-2XX



JVT1270 H20-2XX



JVT2546 H70-2XNPCC-S



JVT2052 H20-NP



JVT2546 H71-NP-S



JVT1528 15X2.8mm BATTERY



JVT1628 16X2.8mm BATTERY SOLDERING TERMINAL

买JVT连接器，送全自动插胶壳及端子压着沾锡机器



•本活动最终解释权归乔业所有



JVT2051 H40-NP-S



JVT2052 H10R-NP



JVT2051 H40-2XNP-S



JVT3021 21X3.0mm BATTERY



JVT1340 12X4.0mm BATTERY



JVT2040 20X4.0mm BATTERY



JVT2052 PIN HEADER 2.0mm



JVT2546 FEMALE HEADER 2.54mm



JVT2547 PIN HEADER&BOX HEADER 2.54mm



JVT1400 14X4.0mm BATTERY



JVT1640 12X4.0mm BATTERY



JVT304TU3 QD5.5mm BATTERY